

## Author Index to Volumes 91-97 (1993)

Abayasekara, D.R.E., Jones, P.M., Persaud, S.J., Michael, A.E. and Flint, A.P.F.  
Prostaglandin  $F_{2\alpha}$  activates protein kinase C in human ovarian cells (91) 51

Abayasekara, D.R.E., Michael, A.E., Webley, G.E. and Flint, A.P.F.  
Mode of action of prostaglandin  $F_{2\alpha}$  in human luteinized granulosa cells: role of protein kinase C (97) 81

Abboud, H.E., see Bhandari, B. (91) 185

Abramovici, H., see Goldman, S. (96) 125

Ahlquist, J.A.O., see Madison, L.D. (94) 129

Ahrén, B., see Fridolf, T. (96) 85

Akers, R.M., see Romagnolo, D. (96) 147

Akita, Y., see Yajima, Y. (92) 143

Aleström, P., see Klungland, H. (95) 147

Almaden, Y., see Torronteras, R. (97) 51

Amler, G.R., see Gluckman, P.D. (92) C1

Amit, T., Hartmann, K., Shoshany, G., Baruch, Y., Youdim, M.B.H. and Hochberg, Z.  
The turnover of growth hormone (GH)-binding protein and GH receptor in rabbit and rat (94) 149

Ammon, H.P.T., see Safayhi, H. (91) 143

Amsterdam, A., see Keren-Tal, I. (95) R1

Andersen, Ø., see Klungland, H. (95) 147

Anderson, E., see Rao, I.M. (94) 121

Anderson, L., see Duthie, S.M. (95) R11

Andersson, T., Förlin, L., Olsen, S., Fostier, A. and Breton, B.  
Pituitary as a target organ for toxic effects of *P4501A1* inducing chemicals (91) 99

Aoki, H., see Suzuki, T. (97) 135

Applegarth, O., see Krisinger, J. (97) 61

Arai, M. and Widmaier, E.P.  
Steroidogenesis in isolated adrenocortical cells during development in rats (92) 91

Aranda, A., see Sanchez-Pacheco, A. (91) 127

Arici, A., Head, J.R., MacDonald, P.C. and Casey, M.L.  
Regulation of interleukin-8 gene expression in human endometrial cells in culture (94) 195

Asem, E.K., see Chiang, M. (94) 27

Atassi, M.Z., see Sakata, S. (92) 77

Atsma, W., see Verbost, P.M. (93) 11

Atteke, C., see Salbert, G. (96) 177

Autelitano, D.J. and Sheppard, K.E.  
Corticotrope responsiveness to glucocorticoids is modulated via rapid CRF-mediated induction of the proto-oncogene *c-fos* (94) 111

Athier, F., see El Hessni, A. (92) 183

Ayotte, N., see Lafond, J. (92) 207

Badinga, L., see Simmen, R.C.M. (97) 101

Bahl, O.P., see Chen, W. (91) 35

Baker, M.E., see Brtko, J. (93) 81

Bali, J.-P., see Nonotte, I. (92) 167

Bali, J.-P., see Remy-Heintz, N. (93) 23

Barnea, A., see Magni, P. (94) 205

Barnhart, K.M., see Jackson, S.M. (96) 167

Bartula, L., see Myers, S.I. (95) 129

Baruch, Y., see Amit, T. (94) 149

Basudev, H., Jones, P.M., Persaud, S.J. and Howell, S.L.  
Arachidonic acid-induced insulin secretion from rat islets of Langerhans is not mediated by protein phosphorylation (91) 193

Bayat-Sarmadi, M. and Houdebine, L.-M.  
Effect of various protein kinase inhibitors on the induction of milk protein gene expression by prolactin (92) 127

Begeot, M., see Lauber, M.E. (94) 235

Behrman, H.R., see Musicki, B. (92) 215

Beitins, I.Z., see Krey, L.C. (91) 13

Bélanger, A., see Martel, C. (91) 43

Belayew, A., see Berwaer, M. (92) 1

Belfiore, C.J., see Wiltbank, M.C. (97) 1

Ben-Yosef, D., Dekel, N., Phillips, D.M. and Shalgi, R.  
Fertilization and early development of rat oocytes induced to mature by forskolin (96) 61

Benahmed, M., see Nehar, D. (92) 45

Berelowitz, M., see Olchovsky, D. (93) 193

Bergen, H.T., Pentecost, B.T., Dickerman, H.W. and Pfaff, D.W.  
In situ hybridization for creatine kinase-B messenger RNA in rat uterus and brain (92) 111

Bertran, J., see Gumà, A. (91) 29

Berwaer, M., Peers, B., Nalda, A.M., Monget, P., Davis, J.R.E., Belayew, A. and Martial, J.A.  
Thyrotropin-releasing hormone and epidermal growth factor induce human prolactin expression via identical multiple *cis* elements (92) 1

Bhandari, B. and Abboud, H.E.  
Platelet derived growth factor-A chain gene expression in cultured mesangial cells: regulation by phorbol ester at the level of mRNA abundance, transcription and mRNA stability (91) 185

Billig, H., see Carlsson, B. (95) 59

Bird, I.M., see Holland, O.B. (94) R9

Bishop, J.F. and Mouradian, M.M.  
Characterization of a corticotropin releasing hormone responsive region in the murine proopiomelanocortin gene (97) 165

Blondeau, J.P., see Chantoux, F. (97) 145

Blum, W.F., see Ilvesmäki, V. (97) 71

Bock, M.E., see Nickel, B.E. (91) 159

Bock, M.E., see Vuille, J.-C. (96) 91

Boer, P., see Wind, J.C. (92) 25

Boileau, G., see Chevrier, D. (94) 213

Bollenbacher, W.E., see Watson, R.D. (92) 221

Bond, J.A., Wyllie, F.S., Ivan, M., Dawson, T. and Wynford-Thomas, D.  
A variant epithelial sub-population in normal thyroid with high proliferative capacity in vitro (93) 175

Bonnet, G., see Salbert, G. (96) 177

Born, W., see Wind, J.C. (92) 25

Boronat, A., see Jiménez, G. (96) 53

Boyle, P.L., see Romagnolo, D. (96) 147

Brem, A.S. and Morris, D.J.  
Interactions between glucocorticoids and mineralocorticoids in the regulation of renal electrolyte transport (97) C1

Brennan, V., see Kendler, D.L. (93) 199

Breslau, N.A., see Zerwekh, J.E. (96) 1

Bresson, L., see Dufy-Barbe, L. (95) 67

Breton, B., see Andersson, T. (91) 99

Brichard, S.M., Desbuquois, B. and Girard, J.  
Vanadate treatment of diabetic rats reverses the impaired expression of genes involved in hepatic glucose metabolism: effects on glycolytic and gluconeogenic enzymes, and on glucose transporter GLUT2 (91) 91

Brooks, J., Taylor, P.L., Saunders, P.T.K., Eidine, K.A., Struthers, W.J. and McNeilly, A.S.  
Cloning and sequencing of the sheep pituitary gonadotropin-releasing hormone receptor and changes in expression of its mRNA during the estrous cycle (94) R23

Brown, P., McNeilly, J.R., Wallace, R.M., McNeilly, A.S. and Clark, A.J.  
Characterization of the ovine LH $\beta$ -subunit gene: the promoter directs gonadotrope-specific expression in transgenic mice (93) 157

Brtko, J., Knopp, J. and Baker, M.E.  
Inhibition of 3,5,3'-triiodothyronine binding to its receptor in rat liver by protease inhibitors and substrates (93) 81

Bruhat, A., Dréau, D., Drake, M.E., Tourmente, S., Chapel, S., Couderc, J.L. and Dastugue, B.  
Intronic and 5' flanking sequences of the *Drosophila*  $\beta_3$  tubulin gene are essential to confer ecdysone responsiveness (94) 61

Brunette, M.G., see Lafond, J. (92) 207

Brunner, H.R., see Walker, P. (91) 107

Bruno, J.F., see Olchovsky, D. (93) 193

Bryant-Greenwood, G.D., Rutanen, E.-M., Partanen, S., Coelho, T.K. and Yamamoto, S.Y.  
Sequential appearance of relaxin, prolactin and IGFBP-1 during growth and differentiation of the human endometrium (95) 23

Butkus, A., see Verbost, P.M. (93) 11  
Byatt, J.C., see Romagnolo, D. (96) 147

Caffin, J.P., see Taouis, M. (96) 113  
Campion, J.P., see Lucas-Clerc, C. (94) 9  
Camps, M., see Gumà, A. (91) 29  
Canning, S., see Leighton, J.K. (97) 29  
Carlsson, B., Nilsson, A., Isaksson, O.G.P. and Billig, H.  
Growth hormone-receptor messenger RNA in the rat ovary: regulation and localization (95) 59

Carniti, C., see Di Blasio, A.M. (96) R7  
Carter, D.A., see Chew, L.J. (92) 9  
Casey, M.L., see Arici, A. (94) 195  
Castaño, J.P., see Torronteras, R. (97) 51  
Catipovic, B., see Wulff, B.S. (91) 135  
Cattini, P.A., see Nickel, B.E. (91) 159  
Cattini, P.A., see Vuille, J.-C. (96) 91  
Celis, L., Claessens, F., Peeters, B., Heyns, W., Verhoeven, G. and Rombauts, W.  
Proteins interacting with an androgen-responsive unit in the C3(1) gene intron (94) 164

Chantoux, F., Chuniaud, L., Dessante, M., Trivin, F., Blondeau, J.P. and Francon, J.  
Competitive inhibition of thyroid hormone uptake into cultured rat brain astrocytes by bilirubin and bilirubin conjugates (97) 145

Chadelaine, P., see Gauthier, E.R. (94) 155  
Chapel, S., see Bruhat, A. (94) 61  
Chavaneau, A., see Taouis, M. (96) 113  
Chen, C.-L.C., Pignataro, O.P. and Feng, Z.-M.  
Inhibin/activin subunits and activin receptor are co-expressed in Leydig tumor cells (94) 137

Chen, J.-C., see Sheikh, M.S. (92) 153  
Chen, W. and Bahl, O.P.  
High expression of the hormone binding active extracellular domain (1-294) of rat lutropin receptor in *Escherichia coli* (91) 35

Chen, W.Y., see Wang, X. (94) 89  
Cheng, S.-Y., see Yen, P.M. (97) 93  
Chevillard, C., see Nonotte, I. (92) 167  
Chevillard, C., see Remy-Heintz, N. (93) 23  
Chevrier, D., Fournier, H., Nault, C., Zollinger, M., Crine, P. and Boileau, G.  
Targeting of pro-opiomelanocortin to the regulated secretory pathway may involve cooperation between different protein domains (94) 213

Chew, L.J., Pardy, K., Murphy, D. and Carter, D.A.  
Osmotic stimuli attenuate vasoactive intestinal peptide gene expression in the rat anterior pituitary gland (92) 9

Chi, L., Zhou, W., Prikhoshan, A., Flanagan, C., Davidson, J.S., Golembio, M., Illing, N., Millar, R.P. and Sealfon, S.C.  
Cloning and characterization of the human GnRH receptor (91) R1

Chiang, M., Strong, J.A. and Asem, E.K.  
Bovine serum albumin enhances calcium currents in chicken granulosa cells (94) 27

Chilco, P.J., Gerardi, J.M., Kaczmarczyk, S.J., Chu, S., Leopold, V. and Zajac, J.D.  
Calcitonin increases transcription of parathyroid hormone-related protein via cAMP (94) 1

Chin, W.W., see Jones, K.E. (91) 113  
Chin, W.W., see Yen, P.M. (97) 93  
Cho, B.N., Suh, Y.H., Yoon, Y.D., Lee, C.C. and Kim, K.  
Progesterone inhibits the estrogen-induced prolactin gene expression in the rat pituitary (93) 47

Chopineau, M., Maurel, M.-C., Combarnous, Y. and Durand, P.  
Topography of equine chorionic gonadotropin epitopes relative to the luteinizing hormone and follicle-stimulating hormone receptor interaction sites (92) 229

Chou, J.Y., see Mukherjee, A.B. (94) R15  
Christiansen, J., see Nielsen, F.C. (93) 87  
Chrousos, G.P., see Vamvakopoulos, N.C. (94) 73

Chu, S., see Chilco, P.J. (94) 1  
Chung, C.S., see Lee, C.Y. (93) 71  
Chuniaud, L., see Chantoux, F. (97) 145  
Cioffi, J.A., see Wang, X. (94) 89  
Claessens, F., see Celis, L. (94) 164  
Clark, A.J., see Brown, P. (93) 157  
Clarke, I.J., Rao, A., Fallest, P.C. and Shupnik, M.A.  
Transcription rate of the follicle stimulating hormone (FSH)  $\beta$  subunit gene is reduced by inhibin in sheep but this does not fully explain the decrease in mRNA (91) 211

Coelho, T.K., see Bryant-Greenwood, G.D. (95) 23

Collins, E.D., see Taoka, T. (95) 51  
Colli, R., see Forget, H. (93) 125

Combarnous, Y., see Chopineau, M. (92) 229  
Combe, M.-C., see Walker, P. (91) 107  
Cook, J., see Duthie, S.M. (95) R11  
Copp, D.H., see Wagner, G.F. (93) 185  
Cota, G., see Horta, J. (92) 189  
Couderc, J.L., see Bruhat, A. (94) 61  
Coutet, J., see Martel, C. (91) 43  
Crawford, R.J., see Roche, P.J. (91) 21  
Cremonesi, L., see Di Blasio, A.M. (96) R7  
Crine, P., see Chevrier, D. (94) 213  
Crone, D.E., see Tillman, J.B. (95) 101  
Currie, W.D., see Krisinger, J. (97) 61

Dann, J.L., see Krisinger, J. (97) 61  
Dantes, A., see Keren-Tal, I. (95) R1  
Dastugue, B., see Bruhat, A. (94) 61  
Dattatreymurthy, B. and Reichert, Jr., L.E.  
Identification of regions of the follitropin (FSH)  $\beta$ -subunit that interact with the N-terminus region (residues 9-30) of the FSH receptor (93) 39

Davidson, J.S., see Chi, L. (91) R1  
Davie, J.R., see Miller, T.L. (91) 83  
Davies, T.F., see Graves, P.N. (93) 213  
Davies, T.F., see Kendler, D.L. (93) 199  
Davis, J.R.E., see Berwaer, M. (92) 1  
Davis, J.S., see Gangrade, B.K. (93) 117  
Dawson, T., see Bond, J.A. (93) 175  
Day, N.K., see Haraguchi, S. (96) R1  
De Amicis, F., see Villone, G. (95) 85  
De Jong, F., see Perheentupa, A. (93) 135  
Dekel, N., see Ben-Yosef, D. (96) 61  
De Laat, S.W., see Van der Burg, B. (91) 149  
Demian, S., see Myers, S.I. (95) 129  
Denef, C., see Houben, H. (97) 159  
Derouet, M., see Taouis, M. (96) 113  
Desbuquois, B., see Brichard, S.M. (91) 91  
Dessante, M., see Chantoux, F. (97) 145  
Devi, L., see Petanceska, S. (94) 37  
Dias, J.A., see Weiner, K.X.B. (92) 195  
Di Blasio, A.M., Vigano, P., Cremonesi, L., Carniti, C., Ferrari, M. and Ferrari, A.  
Expression of the genes encoding basic fibroblast growth factor and its receptor in human granulosa cells (96) R7  
Dickerman, H.W., see Bergen, H.T. (92) 111  
Dirnfeld, M., see Goldman, S. (96) 125  
Djakiew, D., see Onoda, M. (93) 53  
Dorin, R.I., Zlock, D.W. and Kilpatrick, K.  
Transcriptional regulation of human corticotropin releasing factor gene expression by cyclic adenosine 3',5'-monophosphate: differential effects at proximal and distal promoter elements (96) 99  
Drake, M.E., see Bruhat, A. (94) 61  
Dréau, D., see Bruhat, A. (94) 61  
Drews, R.T., see Forget, H. (93) 125  
Dubé, J.Y., see Gauthier, E.R. (94) 155  
Ducharme, L., see Lehoux, J.-G. (93) 1  
Duckworth, M.L., see Vuille, J.-C. (96) 91  
Dufy-Barbe, L., Bresson, L., Vacher, P., Odessa, M.F., Galli, F.S., Rivel, J. and Guérin, J.  
Thyrotropin-releasing hormone and gonadotropin-releasing hormone-associated peptide modulation of  $[Ca^{2+}]_i$  in human lactotrophs (95) 67  
Dumont, J.E., see Taton, M. (95) 13  
Duperray, C., see Nonotte, I. (92) 167  
Durand, P., see Chopineau, M. (92) 229  
Durand, P., see Taragnat, C. (96) 7  
Duthie, S.M., Taylor, P.L., Anderson, L., Cook, J. and Eidne, K.A.  
Cloning and functional characterisation of the human TRH receptor (95) R11  
Dyson, M., see Shukovski, L. (97) 19

Eddy, K.B., see Keel, B.A. (94) 21  
Eidne, K.A., see Brooks, J. (94) R23  
Eidne, K.A., see Duthie, S.M. (95) R11  
Eidne, K.A., see Zabavnik, J. (95) 121  
El Hessni, A., Authier, F. and Silve, C.  
Parathyroid hormone and glucagon compete for binding to low affinity sites on human skin fibroblasts (92) 183  
Enver, T., see Jiménez, G. (96) 53

Erämaa, M., Heikinheimo, K., Tuuri, T., Hildén, K. and Ritvos, O.  
Inhibin/activin subunit mRNA expression in human granulosa-luteal cells (92) R15

Eskola, V., Nikula, H. and Huhtaniemi, I.  
Age-related variation of follicle-stimulating hormone-stimulated cAMP production, protein kinase C activity and their interactions in the rat testis (93) 143

Evans, B., see Fu, P. (93) 107

Evans, C.T., see Myers, S.I. (95) 129

Fallest, P.C., see Clarke, I.J. (91) 211

Fargher, R.C., see Wagner, G.F. (93) 185

Farnworth, P., see Michel, U. (91) 1

Feng, Z.-M., see Chen, C.-L.C. (94) 137

Fernandez, L.M., see Xia, H. (92) R1

Ferrari, A., see Di Blasio, A.M. (96) R7

Ferrari, M., see Di Blasio, A.M. (96) R7

Fevold, H.R., Ivanovitch, J.D., Zanger, U.M. and Waterman, M.R.  
The sequence of the 5'-end of the rat *CYP17* gene, the transcription initiation site and a comparison with the homologous genes of other species (95) 95

Feyereisen, R., see Snyder, M.J. (94) R1

Findlay, J.K., see Michel, U. (91) 1

Findlay, J.K., see Shukovski, L. (97) 19

Fischer, J.A., see Wind, J.C. (92) 25

Flanagan, C., see Chi, L. (91) R1

Flik, G., see Verbost, P.M. (93) 11

Flint, A.P.F., see Abayasekara, D.R.E. (91) 51

Flint, A.P.F., see Abayasekara, D.R.E. (97) 81

Fontana, J.A., see Sheikh, M.S. (92) 153

Ford, A.M., see Jiménez, G. (96) 53

Forget, H., Painson, J.-C., Drews, R.T., Lagacé, G. and Collu, R.  
MMQ cells: a model for evaluating the role of G proteins in the modulation of prolactin release (93) 125

Forgione, M., see Yen, P.M. (97) 93

Förlin, L., see Andersson, T. (91) 99

Fostier, A., see Andersson, T. (91) 99

Foti, D., see Seto, P. (94) R5

Fournier, H., see Chevrière, D. (94) 213

Francon, J., see Chantoux, F. (97) 145

Frankenne, F., see Scippo, M.L. (92) R7

Fricker, L.D., see Petanceska, S. (94) 37

Fridolf, T. and Ahrén, B.  
Effects of glucagon-like peptide-1<sub>(7-36)</sub>amide on the cytoplasmic  $Ca^{2+}$ -concentration in rat islet cells (96) 85

Friesen, H.G., see Vuille, J.-C. (96) 91

Fu, P., Evans, B., Lim, G.B., Moritz, K. and Wintour, E.M.  
The sheep erythropoietin gene: molecular cloning and effect of hemorrhage on plasma erythropoietin and renal/liver messenger RNA in adult sheep (93) 107

Fukaya, T., see Suzuki, T. (97) 135

Fukumoto, S., see Kiriyama, T. (92) 55

Fukumoto, S., see Kiriyama, T. (94) 145

Fung, C., see Wang, B.S. (92) 161

Gadson, Jr., P.F., see Rao, I.M. (94) 121

Galli, F.S., see Dufy-Barbe, L. (95) 67

Gammeltoft, S., see Nielsen, F.C. (93) 87

Gangrade, B.K., Gotcher, E.D., Davis, J.S. and May, J.V.  
The secretion of transforming growth factor-beta by bovine luteal cells in vitro (93) 117

Gangrade, B.K., see Keel, B.A. (94) 21

Gauthier, E.R., Chapdelaine, P., Tremblay, R.R. and Dubé, J.Y.  
Transcriptional regulation of dog prostate arginine esterase gene by androgens (94) 155

Geiger, B., see Hadari, Y.R. (97) 9

Gelato, M.C., see Olchovsky, D. (93) 193

Gerardi, J.M., see Chilco, P.J. (94) 1

Gertler, A., see Granot, I. (92) 241

Gertler, A., see Sakal, E. (97) 129

Gether, U., see Wulff, B.S. (91) 135

Gilchrist, C.A. and Shull, J.D.  
Epidermal growth factor induces prolactin mRNA in GH<sub>4</sub>C<sub>1</sub> cells via a protein synthesis-dependent pathway (92) 201

Gillespie, M.T., see Kiriyama, T. (92) 55

Gillespie, M.T., see Kiriyama, T. (94) 145

Girard, J., see Brichard, S.M. (91) 91

Glatz, J.A., see Kiriyama, T. (92) 55

Glatz, J.A., see Kiriyama, T. (94) 145

Glibetic, M., Larson, D.E., Rothblum, L.I. and Sells, B.H.  
Dexamethasone stimulates rRNA gene transcription in rat myoblasts (94) 243

Gluckman, P.D. and Ambler, G.R.  
What is the function of circulating insulin-like growth factor-2 in postnatal life? (92) C1

Goforth, D.P., see Murono, E.P. (92) 121

Goforth, D.P., see Murono, E.P. (97) 109

Goldman, S., Dirlenfeld, M., Abramovici, H. and Kraiem, Z.  
Triiodothyronine (T<sub>3</sub>) modulates hCG-regulated progesterone secretion, cAMP accumulation and DNA content in cultured human luteinized granulosa cells (96) 125

Golembio, M., see Chi, L. (91) R1

Good, R.A., see Haraguchi, S. (96) R1

Gordon, D.F., Haugen, B.R., Sarapura, V.D., Nelson, A.R., Wood, W.M. and Ridgway, E.C.  
Analysis of Pit-1 in regulating mouse TSH $\beta$  promoter activity in thyrotropes (96) 75

Gordon, D.F., see Sarapura, V.D. (91) 75

Gordon, J.W., see Reventos, J. (96) 69

Gotcher, E.D., see Gangrade, B.K. (93) 117

Gracia-Navarro, F., see Torronteras, R. (97) 51

Grady, L.H., see Welshons, W.V. (94) 183

Granot, I., Halevy, O., Tchelet, A., Sakal, E., Gertler, A., Vogel, T., Hurwitz, S. and Pines, M.  
Effect of N-terminal modified analogs of growth hormone on collagen synthesis in avian skin fibroblasts (92) 241

Grasso, P., Joseph, M.P. and Reichert, Jr., L.E.  
A tetrapeptide within a receptor-binding region of human follicle-stimulating hor-

mone beta-subunit, hFSH- $\beta$ -(34-37), regulates sodium-calcium exchange in Sertoli cells (96) 19

Graves, P.N. and Davies, T.F.  
Thyrotropin regulates thyroglobulin mRNA splicing and differential processing (93) 213

Grimes, R.W., see Leighton, J.K. (97) 29

Gromoll, J., Weinbauer, G.F., Simoni, M. and Nieschlag, E.  
Effects of antiandrogens and ethane dimethane sulphonate (EDS) on gene expression, free subunits, bioactivity and secretion of pituitary gonadotrophins in male rats (91) 119

Grønborg, M., see Nielsen, F.C. (93) 87

Grouzmann, E., see Walker, P. (91) 107

Guérin, J., see Dufy-Barbe, L. (95) 67

Gumà, A., Viñals, F., Camps, M., Lizarbe, M., Mora, C., Bertran, J., Testar, X., Palacín, M. and Zorzano, A.  
Effect of benzyl succinate on insulin receptor function and insulin action in skeletal muscle: further evidence for a lack of spare high-affinity insulin receptors (91) 29

Gustafsson, J.-Å., see Kononen, J. (93) 97

Gustafsson, J.-Å., see Schultz, R. (95) 115

Gutierrez-Hartmann, A., see Jackson, S.M. (96) 167

Hadari, Y.R., Geiger, B., Nadiv, O., Sabanay, I., Roberts, Jr., C.T., LeRoith, D. and Zick, Y.  
Hepatic tyrosine-phosphorylated proteins identified and localized following in vivo inhibition of protein tyrosine phosphatases: effects of H<sub>2</sub>O<sub>2</sub> and vanadate administration into rat livers (97) 9

Halevy, O., see Granot, I. (92) 241

Hämäläinen, T.M., see Markkula, M.A. (96) 25

Hammond, J.M., see Leighton, J.K. (97) 29

Haraguchi, S., Good, R.A. and Day, N.K.  
Prolactin acts on the extreme 5' portion of MMTV LTR involving a mammary cell-specific enhancer (96) R1

Harding, P.A., see Wang, X. (94) 89

Hartmann, K., see Amit, T. (94) 149

Haselbacher, G., see Nielsen, F.C. (93) 87

Haug, E., see Sørnes, G. (93) 149

Haugen, B.R., see Gordon, D.F. (96) 75

Hayakawa, T., see Sakal, E. (97) 129

He, Y., see Keel, B.A. (94) 21

Head, J.R., see Arici, A. (94) 195

Heikinheimo, K., see Erämaa, M. (92) R15

Hennen, G., see Scippo, M.L. (92) R7

Herzog, H., see Walker, P. (91) 107

Heyns, W., see Celis, L. (94) 164

Hildén, K., see Erämaa, M. (92) R15

Hiriart, M. and Ramirez-Medel, M.C.  
Muscarinic modulation of insulin secretion by single pancreatic  $\beta$ -cells (93) 63

Hochberg, Z., see Amit, T. (94) 149

Hoeffler, J.P., see Jackson, S.M. (96) 167

Holland, O.B., Mathis, J.M., Bird, I.M. and Rainey, W.E.

Angiotensin increases aldosterone synthase mRNA levels in human NCI-H295 cells (94) R9

Hollande, F., see Nonotte, I. (92) 167

Honkaniemi, J., see Kononen, J. (93) 97

Honkaniemi, J., see Schultz, R. (95) 115

Hooghe-Peters, E.L., see Scippo, M.L. (92) R7

Hornsby, P.J., see Rao, I.M. (94) 121

Horta, J. and Cota, G.

Lactotrope subtypes are differentially responsive to calcium channel blockers (92) 189

Houben, H., Vandenbroucke, A.-T., Verheyden, A.-M. and Denef, C.

Expression of the genes encoding bombesin-related peptides and their receptors in anterior pituitary tissue (97) 159

Houdebine, L.-M., see Bayat-Sarmadi, M. (92) 127

Howell, S.L., see Basudev, H. (91) 193

Howell, S.L., see Persaud, S.J. (94) 55

Huhtaniemi, I., see Eskola, V. (93) 143

Huhtaniemi, I., see Perheentupa, A. (93) 135

Huhtaniemi, I.T., see Markkula, M.A. (96) 25

Hurwitz, S., see Granot, I. (92) 241

Huzel, N.J., see Miller, T.L. (91) 83

Ingout, A., see Scippo, M.L. (92) R7

Illing, N., see Chi, L. (91) R1

Ilvesmäki, V., Blum, W.F. and Voutilainen, R.

Insulin-like growth factor binding proteins in the human adrenal gland (97) 71

Ilvesmäki, V., Jäättelä, M., Saksela, E. and Voutilainen, R.

Tumor necrosis factor- $\alpha$  and interferon- $\gamma$  inhibit insulin-like growth factor II gene expression in human fetal adrenal cell cultures (91) 59

Imura, H., see Sugawa, H. (93) 207

Inman, L., see Myers, S.I. (95) 129

Irino, S., see Taoka, T. (95) 51

Isaksson, O.G.P., see Carlsson, B. (95) 59

Isaksson, O.G.P., see Ohlsson, C. (91) 167

Isola, J., see Schultz, R. (95) 115

Ison, A.J., see Thomson, F.J. (94) 223

Ivan, M., see Bond, J.A. (93) 175

Ivanovitch, J.D., see Fevold, H.R. (95) 95

Iwata, K.K., see Jeng, M.-H. (97) 115

Jäättelä, M., see Ilvesmäki, V. (91) 59

Jackson, S.M., Barnhart, K.M., Mellon, P.L., Gutierrez-Hartmann, A. and Hoeffler, J.P.

Helix-loop-helix proteins are present and differentially expressed in different cell lines from the anterior pituitary (96) 167

Jameson, J.L., see Madison, L.D. (94) 129

Jarry, H., see Kim, K. (97) 153

Jefcoate, C.R., see Yamazaki, T. (95) 1

Jeffrey, J.J., see Rydelek-Fitzgerald, L. (91) 67

Jeffrey, J.J., see Rydelek-Fitzgerald, L. (92) 253

Jego, P., see Salbert, G. (96) 177

Jeng, M.-H., Ten Dijke, P., Iwata, K.K. and Jordan, V.C.

Regulation of the levels of three transforming growth factor  $\beta$  mRNAs by estrogen and their effects on the proliferation of human breast cancer cells (97) 115

Jenkins, C., Michael, D., Mahendroo, M. and Simpson, E.

Exon-specific Northern analysis and rapid amplification of cDNA ends (RACE) reveal that the proximal promoter II (PII) is responsible for aromatase cytochrome  $P_{450}$  (CYP19) expression in human ovary (97) R1

Jeung, E.-B., see Krisinger, J. (97) 61

Jiménez, G., Ford, A.M., Enver, T. and Boronat, A.

Multiple changes in chromatin structure precede the transcriptional activation of the human growth hormone locus in placental cells (96) 53

Johansen, T.E., see Wulff, B.S. (91) 135

Johnson, M.S., Thomson, F.J., MacEwan, D.J. and Mitchell, R.

The involvement of dihydropyridine-sensitive calcium channels in phorbol ester-induced luteinizing hormone and growth hormone release (95) 31

Johnson, M.S., see Thomson, F.J. (94) 223

Johnston, D.G., see Johnston, J.M. (92) 63

Johnston, J.M., Wood, D.F., Read, S. and Johnston, D.G.

Dopamine regulates  $D_2$  receptor gene expression in normal but not in tumorous rat pituitary cells (92) 63

Jolly, Y.C., see Konrad, R.J. (92) 135

Jones, K.E., Yaffe, B.M. and Chin, W.W.

Regulation of thyroid hormone receptor  $\beta$ -2 mRNA levels by retinoic acid (91) 113

Jones, P.M., Mann, F.M., Persaud, S.J. and Wheeler-Jones, C.P.D.

Mastoparan stimulates insulin secretion from pancreatic  $\beta$ -cells by effects at a late stage in the secretory pathway (94) 97

Jones, P.M., see Abayasekara, D.R.E. (91) 51

Jones, P.M., see Basudev, H. (91) 193

Jones, P.M., see Persaud, S.J. (94) 55

Jordan, V.C., see Jeng, M.-H. (97) 115

Jordan, V.C., see Welshons, W.V. (94) 183

Joseph, D.R., see Reventos, J. (96) 69

Joseph, M.P., see Grasso, P. (96) 19

Judy, B.M., see Welshons, W.V. (94) 183

Kaczmarczyk, S.J., see Chilco, P.J. (94) 1

Kagawa, N., see Lauber, M.E. (93) 227

Kalley-Taylor, B., see Myers, S.I. (95) 129

Kangasniemi, M.

Effects of adenosine analog PIA (*n*-phenylisopropyladenosine) on FSH-stimulated cyclic AMP (cAMP) production in the rat seminiferous epithelium (96) 141

Katada, T., see Yajima, Y. (92) 143

Keel, B.A., Eddy, K.B., He, Y., Gangrade, B.K. and May, J.V.

Purified human  $\alpha$ -fetoprotein inhibits follicle-stimulating hormone-stimulated estradiol production by porcine granulosa cells in culture (94) 21

Kelder, B., see Wang, X. (94) 89

Kendler, D.L., Brennan, V., Davies, T.F. and Magnusson, R.P.

Expression of human thyroid peroxidase in insect cells using recombinant baculovirus (93) 199

Keren-Tal, I., Dantes, A., Sprengel, R. and Amsterdam, A.

Establishment of steroidogenic granulosa cell lines expressing follicle stimulating hormone receptors (95) R1

Keutmann, H.T., see Morbeck, D.E. (97) 173

Khan, H., see Yarney, T.A. (93) 219

Kilpatrick, K., see Dorin, R.I. (96) 99

Kim, H.-S., see Tillman, J.B. (95) 101

Kim, K., Jarry, H., Knoke, I., Seong, J.Y., Leonhardt, S. and Wuttke, W.

Competitive PCR for quantitation of gonadotropin-releasing hormone mRNA level in a single micropunch of the rat preoptic area (97) 153

Kim, K., see Cho, B.N. (93) 47

Kim, K.E., see Markkula, M.A. (96) 25

Kiriyama, T., Gillespie, M.T., Glatz, J.A., Fukumoto, S., Moseley, J.M. and Martin, T.J.

Transforming growth factor  $\beta$  stimulation of parathyroid hormone-related protein (PTHrP): a paracrine regulator? Molecular and Cellular Endocrinology, 92 (1993) 55-62 (94) 145

Kiriyama, T., Gillespie, M.T., Glatz, J.A., Fukumoto, S., Moseley, J.M. and Martin, T.J.

Transforming growth factor  $\beta$  stimulation of parathyroid hormone-related protein (PTHrP): a paracrine regulator? (92) 55

Kisen, G., see Klungland, H. (95) 147

Kitagawa, H., see Noguchi, M. (92) 69

Klungland, H., Andersen, Ø., Kisen, G., Aleström, P. and Tora, L.

Estrogen receptor binds to the salmon GnRH gene in a region with long palindromic sequences (95) 147

Knoke, I., see Kim, K. (97) 153

Knopp, J., see Brtko, J. (93) 81

Koch, B. and Lutz-Bucher, B.

Vasopressin, unlike phorbol ester, fails to synergistically interact with pituitary adenylate cyclase activating polypeptide (PACAP) in stimulating cyclic AMP formation and ACTH secretion in cultured anterior pituitary cells (92) 175

Koh, C.Y. and Phillips, J.T.

Prolactin receptor expression by lymphoid tissues in normal and immunized rats (92) R21

Kononen, J., Honkaniemi, J., Gustafsson, J.-Å. and Pelto-Huikko, M.

Glucocorticoid receptor colocalization with pituitary hormones in the rat pituitary gland (93) 97

Konrad, R.J., Jolly, Y.C., Major, C. and Wolf, B.A.

Fuel secretagogue stimulation of arachidonic acid accumulation in fresh and cultured pancreatic islets (92) 135

Koopmann, I., see Safayhi, H. (91) 143

Kopchick, J.J., see Wang, X. (94) 89

Koren, R., see Ravid, A. (96) 133

Korkidis, K., see Wang, B.S. (92) 161

Kostellow, A.B., Ma, G.-Y. and Morrill, G.A. Steroid action at the plasma membrane: progesterone stimulation of phosphatidylcholine-specific phospholipase C following release of the prophase block in amphibian oocytes (92) 33

Koszewski, N.J., see Lannigan, D.A. (94) 47

Kovacs, W.J., see McCammon, D.K. (91) 177

Koyasaki, N., see Noguchi, M. (92) 69

Kraiem, Z., see Goldman, S. (96) 125

Krey, L.C., Padmanabhan, V. and Beutins, I.Z. Progesterone modulation of gonadotropin secretion by dispersed rat pituitary cells in culture. IV. Follicle-stimulating hormone synthesis and release (91) 13

Krishnan, V., see Wang, X. (96) 159

Krisinger, J., Dann, J.L., Applegarth, O., Currie, W.D., Jeung, E.-B., Staun, M. and Leung, P.C.K. Calbindin-D<sub>9k</sub> gene expression during the perinatal period in the rat: correlation to estrogen receptor expression in uterus (97) 61

Krivi, G.G., see Sakal, E. (97) 129

Krozwowski, Z., see Mercer, W. (92) 247

Kwakkenbos-Isbrücker, L., see Van der Burg, B. (91) 149

Laboisson, C., see Remy-Heintz, N. (93) 23

Labrie, C., see Martel, C. (91) 43

Labrie, F., see Martel, C. (91) 43

Lafond, J., Ayotte, N. and Brunette, M.G. Effect of (1-34) parathyroid hormone-related peptide on the composition and turnover of phospholipids in syncytiotrophoblast brush border and basal plasma membranes of human placenta (92) 207

Lagacé, G., see Forget, H. (93) 125

Lake, M., see Nielsen, F.C. (93) 87

Laliberté, F., see Nonotte, I. (92) 167

Laliberté, M.-F., see Remy-Heintz, N. (93) 23

Laliberté, M.F., see Nonotte, I. (92) 167

Lamy, F., see Taton, M. (95) 13

Lannigan, D.A., Koszewski, N.J. and Notides, A.C. Estrogen-responsive elements contain non-B DNA (94) 47

Larsen, T.H., Myking, O., Lillehaug, J.R. and Sætersdal, T. Inhibition and down-regulation of protein kinase C in cultured atrial myocytes: effects on distribution of specific granules and secretion of atrial natriuretic peptide (94) 173

Larson, D.E., see Glibetic, M. (94) 243

Lauber, M.E., Kagawa, N., Waterman, M.R. and Simpson, E.R. cAMP-dependent and tissue-specific expression of genes encoding steroidogenic enzymes in bovine luteal and granulosa cells in primary culture (93) 227

Lauber, M.E., Picton, H.M., Begeot, M., Moi, K., Waterman, M.R. and Simpson, E.R. Regulation of *CYP11A* gene expression in bovine ovarian granulosa cells in primary culture by cAMP and phorbol esters is conferred by a common *cis*-acting element (94) 235

Launois, B., see Lucas-Clerc, C. (94) 9

Lee, C.C., see Cho, B.N. (93) 47

Lee, C.Y., Chung, C.S. and Simmen, F.A. Ontogeny of the porcine insulin-like growth factor system (93) 71

Lehoux, J.-G. and Ducharme, L. Effects of dexamethasone on the levels of adrenal steroidogenic enzyme mRNA in rats treated with 4-aminopyrazolopyrimidine (93) 1

Leighton, J.K., Grimes, R.W., Canning, S. and Hammond, J.M. Expression of the IGF system in primary and immortalized porcine ovarian granulosa cells (97) 29

Leonhardt, S., see Kim, K. (97) 153

Leopold, V., see Chilco, P.J. (94) 1

LeRoith, D., see Hadari, Y.R. (97) 9

Leung, P.C.K., see Krisinger, J. (97) 61

Liberman, U.A., see Ravid, A. (96) 133

Lillehaug, J.R., see Larsen, T.H. (94) 173

Lim, G.B., see Fu, P. (93) 107

Lin, T., Wang, D. and Nagpal, M.L. Human chorionic gonadotropin induces interleukin-1 gene expression in rat Leydig cells *in vivo* (95) 139

Lindahl, A., see Ohlsson, C. (91) 167

Lizarbe, M., see Gumà, A. (91) 29

Lucas-Clerc, C., Massart, C., Campion, J.P., Launois, B. and Nicol, M. Long-term culture of human pancreatic islets in an extracellular matrix: morphological and metabolic effects (94) 9

Lumangas, A.L., see Wang, B.S. (92) 161

Lutz-Bucher, B., see Koch, B. (92) 175

Ma, G.-Y., see Kostellow, A.B. (92) 33

Macchia, E., see Yen, P.M. (97) 93

MacDonald, P.C., see Arici, A. (94) 195

MacEwan, D.J., see Johnson, M.S. (95) 31

MacEwan, D.J., see Thomson, F.J. (94) 223

Madison, L.D., Ahlquist, J.A.O., Rogers, S.D. and Jameson, J.L. Negative regulation of the glycoprotein hormone  $\alpha$  gene promoter by thyroid hormone: mutagenesis of a proximal receptor binding site preserves transcriptional repression (94) 129

Magni, P. and Barnea, A. An early and transient period of protein synthesis is required for induction of neuopeptide Y-mRNA by phorbol ester and forskolin in aggregate cultures of fetal brain cells (94) 205

Magnusson, R.P., see Kendler, D.L. (93) 199

Magoffin, D.A. and Weitsman, S.R. Effect of insulin-like growth factor-I on cholesterol side-chain cleavage cytochrome P450 messenger ribonucleic acid expression in ovarian theca-interstitial cells stimulated to differentiate in vitro (96) 45

Maguire, S.M., Millar, M.R., Sharpe, R.M. and Saunders, P.T.K. Stage-dependent expression of mRNA for cyclic protein 2 during spermatogenesis is modulated by elongate spermatids (94) 79

Mahendroo, M., see Jenkins, C. (97) R1

Mahesh, V.B., see Rao, I.M. (94) 121

Major, C., see Konrad, R.J. (92) 135

Mann, F.M., see Jones, P.M. (94) 97

Manolagas, S., see Zerwekh, J.E. (96) 1

Manshouri, T., see Sakata, S. (92) 77

Marcil, J., Ravindranath, N. and Sairam, M.R. Cytotoxic activity of lutropin-gelolin conjugate in mouse Leydig tumor cells: potentiation of the hormonotoxin activity by different drugs (92) 83

Markkula, M.A., Hämäläinen, T.M., Zhang, F., Kim, K.E., Maurer, R.A. and Huhaniemi, I.T. The FSH  $\beta$ -subunit promoter directs the expression of *Herpes simplex* virus type 1 thymidine kinase to the testis of transgenic mice (96) 25

Maron, L., see Ravid, A. (96) 133

Martel, C., Trudel, C., Couet, J., Labrie, C., Bélanger, A. and Labrie, F. Blockade of androstanedione-induced stimulation of androgen-sensitive parameters in the rat prostate by combination of Flutamide and 4-MA (91) 43

Martial, J.A., see Berwaer, M. (92) 1

Martin, T.J., see Kiriyama, T. (92) 55

Martin, T.J., see Kiriyama, T. (94) 145

Mason, J.I., see Suzuki, T. (97) 135

Massart, C., see Lucas-Clerc, C. (94) 9

Mathis, J.M., see Holland, O.B. (94) R9

Matsuda, Y., see Schumacher, H. (94) 105

Mauduit, C., see Nehar, D. (92) 45

Maurer, R.A., see Markkula, M.A. (96) 25

May, J.V., see Gangrade, B.K. (93) 117

May, J.V., see Keel, B.A. (94) 21

McCammon, D.K., Zhou, P., Turney, M.K., McPhaul, M.J. and Kovacs, W.J. An androgenic affinity ligand covalently binds to cytosolic aldehyde dehydrogenase from human genital skin fibroblasts (91) 177

McCormick, D.J., see Morbeck, D.E. (97) 173

McFadden, T.B., see Romagnolo, D. (96) 147

McKeown, B.A., see Wagner, G.F. (93) 185

McLachlan, S.M., see Seto, P. (94) R5

McNamara, B.C., see Yamazaki, T. (95) 1

McNeilly, A.S., see Brooks, J. (94) R23

McNeilly, A.S., see Brown, P. (93) 157

McNeilly, A.S., see Zabavnik, J. (95) 121

McNeilly, J.R., see Brown, P. (93) 157

McPhaul, M.J., see McCammon, D.K. (91) 177

Mellon, P.L., see Jackson, S.M. (96) 167

Menendez-Pelaez, A., see Rodriguez, C. (93) 167

Merger, W., Obeyesekere, V., Smith, R. and Krozwowski, Z.

Characterization of  $11\beta$ -HSD1B gene expression and enzymatic activity (92) 247

Michael, A.E., see Abayasekara, D.R.E. (91) 51

Michael, A.E., see Abayasekara, D.R.E. (97) 81

Michael, D., see Jenkins, C. (97) R1

Michel, F.J., see Simmen, R.C.M. (97) 101

Michel, U., Farnworth, P. and Findlay, J.K. Follistatin: more than follicle-stimulating hormone suppressing proteins (91) 1

Millar, M.R., see Maguire, S.M. (94) 79

Millar, R.P., see Chi, L. (91) R1

Miller, T.L., Huzel, N.J., Davie, J.R. and Murphy, L.C. C-myc gene chromatin of estrogen receptor positive and negative breast cancer cells (91) 83

Milliken, C., see Wagner, G.F. (93) 185

Mitchell, M.D. and Trautman, M.S. Molecular mechanisms regulating prostaglandin action (93) C7

Mitchell, R., see Johnson, M.S. (95) 31

Mitchell, R., see Thomson, F.J. (94) 223

Mitchell, R., see Thomson, F.J. (95) 75

Miura, K., see Sakata, S. (92) 77

Miyanaga, K. and Shimasaki, S. Structural and functional characterization of the rat follistatin (activin-binding protein) gene promoter (92) 99

Miyazaki, I., see Noguchi, M. (92) 69

Mizukami, Y., see Noguchi, M. (92) 69

Momoi, K., see Lauber, M.E. (94) 235

Monget, P., see Berwaer, M. (92) 1

Mora, C., see Gumà, A. (91) 29

Morbeck, D.E., Roche, P.C., Keutmann, H.T. and McCormick, D.J. A receptor binding site identified in the region 81–95 of the  $\beta$ -subunit of human luteinizing hormone (LH) and chorionic gonadotropin (hCG) (97) 173

Morera, A.M., see Nehar, D. (92) 45

Mori, T., see Sugawa, H. (93) 207

Moritz, K., see Fu, P. (93) 107

Morrill, G.A., see Kostellow, A.B. (92) 33

Morris, D.J., see Brem, A.S. (97) C1

Moseley, J.M., see Kiriya, T. (92) 55

Moseley, J.M., see Kiriya, T. (94) 145

Mouradian, M.M., see Bishop, J.F. (97) 165

Muehleisen, D.P., see Watson, R.D. (92) 221

Mukherjee, A.B., Murty, L.C. and Chou, J.Y. Differentiation and uteroglobin gene expression by novel rabbit endometrial cell lines (94) R15

Mukhopadhyay, A.K., see Schumacher, H. (94) 105

Müller, J., see Oertel, M. (91) 201

Munoz, M., see Walker, P. (91) 107

Murono, E.P., Washburn, A.L., Goforth, D.P. and Wu, N. Biphasic effect of basic fibroblast growth factor on  $^{125}\text{I}$ -human chorionic gonadotropin binding to cultured immature Leydig cells (92) 121

Murphy, D., see Chew, L.-J. (92) 9

Murphy, L.C., see Miller, T.L. (91) 83

Murty, L.C., see Mukherjee, A.B. (94) R15

Musicki, B. and Behrman, H.R. Metal chelators reverse the action of hydrogen peroxide in rat luteal cells (92) 215

Myers, S.I., Evans, C.T., Inman, L., Demian, S., Bartula, L., Kalley-Taylor, B. and Riva, A. Acute cholecystitis potentiates bradykinin stimulated fibroblast prostanoid release in the rabbit (95) 129

Myking, O., see Larsen, T.H. (94) 173

Nachtigal, M.W., see Nickel, B.E. (91) 159

Nadiv, O., see Hadari, Y.R. (97) 9

Nagayama, Y., see Seto, P. (94) R5

Nagpal, M.L., see Lin, T. (95) 139

Nagura, H., see Suzuki, T. (97) 135

Nalda, A.M., see Berwaer, M. (92) 1

Narasimhan, T.R., see Wang, X. (96) 159

Nault, C., see Chevrier, D. (94) 213

Nehar, D., Mauduit, C., Revol, A., Morera, A.M. and Benahmed, M. Effect of epidermal growth factor/transforming growth factor  $\alpha$  on lactate production in porcine Sertoli cells: glucose transport and lactate dehydrogenase isozymes as potential sites of action (92) 45

Nelson, A.R., see Gordon, D.F. (96) 75

Nickel, B.E., Bock, M.E., Nachtigal, M.W. and Cattini, P.A. Differential expression of human placental growth hormone variant and chorionic somatomammotropin genes in choriocarcinoma cells treated with methotrexate (91) 159

Nicol, M., see Lucas-Clerc, C. (94) 9

Nielsen, F.C., Haselbacher, G., Christiansen, J., Lake, M., Grønborg, M. and Gammeltoft, S. Biosynthesis of 10 kDa and 7.5 kDa insulin-like growth factor II in a human rhabdomyosarcoma cell line (93) 87

Nieschlag, E., see Gromoll, J. (91) 119

Nikula, H., see Eskola, V. (93) 143

Nilsson, A., see Carlsson, B. (95) 59

Nilsson, A., see Ohlsson, C. (91) 167

Nishikawa, S., see Sakai, E. (97) 129

Niswender, G.D., see Wiltbank, M.C. (97) 1

Noguchi, M., Thomas, M., Koyasaki, N., Ohta, N., Taniya, T., Kitagawa, H., Miyazaki, I. and Mizukami, Y. Influence of hormones on tumor growth, cell kinetics, estrogen receptor and insulin-like growth factor-I-related protein of human breast cancer (MCF-7) cells transplanted in nude mice (92) 69

Nonotte, I., Laliberté, M.F., Duperray, C., Hollande, F., Bali, J.-P., Laliberté, F. and Chevillard, C. Expression of angiotensin I converting enzyme mRNA in rabbit gastric epithelial cells (92) 167

Nonotte, I., see Remy-Heintz, N. (93) 23

Norman, A.W., see Taoka, T. (95) 51

Notides, A.C., see Lannigan, D.A. (94) 47

Nyman, T., see Pekonen, F. (95) 43

Obeyesekere, V., see Mercer, W. (92) 247

Odessa, M.F., see Dufy-Barbe, L. (95) 67

Oertel, M. and Müller, J. Two types of cytochrome  $P-450_{11\beta}$  in rat adrenals: separate regulation of gene expression (91) 201

Ohlsson, C., Nilsson, A., Swolin, D., Isaksson, O.G.P. and Lindahl, A. Establishment of a growth hormone responsive chondrogenic cell line from fetal rat tibia (91) 167

Ohta, N., see Noguchi, M. (92) 69

Okamoto, H., see Wulff, B.S. (91) 135

Okuda, K., see Sakata, S. (92) 77

Olkovský, D., Song, J., Gelato, M.C., Sherwood, J., Spatola, E., Bruno, J.F. and Berelowitz, M. Pituitary and hypothalamic insulin-like growth factor-I (IGF-I) and IGF-I receptor expression in food-deprived rats (93) 193

Olsen, S., see Andersson, T. (91) 99

Onoda, M. and Djakiew, D. A 29,000  $M_r$  protein derived from round spermatids regulates Sertoli cell secretion (93) 53

Ormandy, C.J. and Sutherland, R.L. Mechanisms of prolactin receptor regulation in mammary gland (91) C1

Padmanabhan, V., see Krey, L.C. (91) 13

Painson, J.-C., see Forget, H. (93) 125

Pak, C.Y.C., see Zerwekh, J.E. (96) 1

Palacín, M., see Gumà, A. (91) 29

Pardy, K., see Chew, L.-J. (92) 9

Partanen, S., see Bryant-Greenwood, G.D. (95) 23

Parvinen, M., see Schultz, R. (95) 115

Pascual, A., see Sanchez-Pacheco, A. (91) 127

Paus, R., see Slominski, A. (93) C1

Payne, S., see Yarney, T.A. (93) 219

Peers, B., see Berwaer, M. (92) 1

Peeters, B., see Celis, L. (94) 164

Pekonen, F., Nyman, T. and Rutanen, E.-M. Differential expression of keratinocyte growth factor and its receptor in the human uterus (95) 43

Pelto-Huikko, M., see Kononen, J. (93) 97

Pelto-Huikko, M., see Schultz, R. (95) 115

Pentecost, B.T., see Bergen, H.T. (92) 111

Perez, P., see Sanchez-Pacheco, A. (91) 127

Perheentupa, A., De Jong, F. and Huhaniemi, I. Biphasic effect of exogenous testosterone on follicle-stimulating hormone gene ex-

pression and synthesis in the male rat (93) 135

Perrier-Meissonnier, S., see Remy-Heintz, N. (93) 23

Perrotti, N., see Villone, G. (95) 85

Persaud, S.J., Jones, P.M. and Howell, S.L. Staurosporine inhibits protein kinases activated by  $Ca^{2+}$  and cyclic AMP in addition to inhibiting protein kinase C in rat islets of Langerhans (94) 55

Persaud, S.J., see Abayasekara, D.R.E. (91) 51

Persaud, S.J., see Basudev, H. (91) 193

Persaud, S.J., see Jones, P.M. (94) 97

Petanceska, S., Zikherman, J., Fricker, L.D. and Devi, L. Processing of prodynorphin in BRL-3A cells, a rat liver-derived cell line: implications for the specificity of neuropeptide-processing enzymes (94) 37

Pfaff, D.W., see Bergen, H.T. (92) 111

Phillips, D.M., see Ben-Yosef, D. (96) 61

Phillips, J.T., see Koh, C.Y. (92) R21

Picone, R., see Villone, G. (95) 85

Picton, H.M., see Lauber, M.E. (94) 235

Pignataro, O.P., see Chen, C.-L.C. (94) 137

Pines, M., see Granot, I. (92) 241

Plas, C., see Zachayus, J.-L. (92) 15

Porter, W., see Wang, X. (96) 159

Preziosi, D.E., see Welshons, W.V. (94) 183

Prikhozhan, A., see Chi, L. (91) R1

Puett, D., see Xia, H. (92) R1

Rabelo, E.M. and Tata, J.R. Thyroid hormone potentiates estrogen activation of vitellogenin genes and autoinduction of estrogen receptor in adult *Xenopus* hepatocytes (96) 37

Rainey, W.E., see Holland, O.B. (94) R9

Ramirez-Medeles, M.C., see Hiriart, M. (93) 63

Rao, A., see Clarke, I.J. (91) 211

Rao, I.M., Gadson, Jr., P.F., Anderson, E., Hornsby, P.J. and Mahesh, V.B. Characterization of progesterone biosynthesis in a transformed granulosa cell line (94) 121

Rapoport, B., see Seto, P. (94) R5

Ravid, A., Koren, R., Maron, L. and Liberman, U.A.  $1,25(OH)_2D_3$  increases cytotoxicity and exocytosis in lymphokine-activated killer cells (96) 133

Ravindranath, N., see Marcil, J. (92) 83

Ravindranath, N., see Yarney, T.A. (93) 219

Read, M. and Shulkes, A. Developmental expression of pancreatic gastrin and somatostatin in the sheep (93) 31

Read, S., see Johnston, J.M. (92) 63

Reichert, Jr., L.E., see Dattatreymurthy, B. (93) 39

Reichert, Jr., L.E., see Grasso, P. (96) 19

Reiter, R.J., see Rodriguez, C. (93) 167

Remy-Heintz, N., Perrier-Meissonnier, S., Nonotte, I., Laliberté, M.-F., Chevillard, C., Laboisson, C. and Bali, J.-P. Evidence for autocrine growth stimulation by a gastrin/CCK-like peptide of the gastric cancer HGT-1 cell line (93) 23

Reventos, J., Sullivan, P.M., Joseph, D.R. and Gordon, J.W. Tissue-specific expression of the rat androgen-binding protein/sex hormone-binding globulin gene in transgenic mice (96) 69

Revol, A., see Nehar, D. (92) 45

Ridgway, E.C., see Gordon, D.F. (96) 75

Ridgway, E.C., see Sarapura, V.D. (91) 75

Rijnsent, A., see Wind, J.C. (92) 25

Risbridger, G.P. Discrete stimulatory effects of platelet-derived growth factor (PDGF-BB) on Leydig cell steroidogenesis (97) 125

Ritvos, O., see Erämaa, M. (92) R15

Riva, A., see Myers, S.I. (95) 129

Rivel, J., see Dufy-Barbe, L. (95) 67

Roberts, Jr., C.T., see Hadari, Y.R. (97) 9

Roche, P.C., see Morbeck, D.E. (97) 173

Roche, P.J., Crawford, R.J. and Tregear, G.W. A single-copy relaxin-like gene sequence is present in sheep (91) 21

Rodriguez, C., Menendez-Pelaez, A., Vaughan, M.K. and Reiter, R.J. Gender-associated differences in the development of 5-aminolevulinate synthase gene expression in the Harderian gland of Syrian hamsters (93) 167

Roger, P.P., see Taton, M. (95) 13

Rogers, S.D., see Madison, L.D. (94) 129

Romagnolo, D., Akers, R.M., Wong, E.A., Boyle, P.L., McFadden, T.B., Byatt, J.C. and Turner, J.D. Lactogenic hormones and extracellular matrix regulate expression of IGF-1 linked to MMTV-LTR in mammary epithelial cells (96) 147

Rombauts, W., see Celis, L. (94) 164

Roithblum, L.I., see Glibetic, M. (94) 243

Ruiz-Navarro, A., see Torronteras, R. (97) 51

Rutanen, E.-M., see Bryant-Greenwood, G.D. (95) 23

Rutanen, E.-M., see Pekonen, F. (95) 43

Rydelek-Fitzgerald, L., Wilcox, B.D., Teitler, M. and Jeffrey, J.J. Serotonin-dependent collagenase induction in rat myometrial smooth muscle cells: mediation by the 5-HT<sub>2</sub> receptor (91) 67

Rydelek-Fitzgerald, L., Wilcox, B.D., Teitler, M. and Jeffrey, J.J. Serotonin-mediated 5-HT<sub>2</sub> receptor gene regulation in rat myometrial smooth muscle cells (92) 253

Sabanay, I., see Hadari, Y.R. (97) 9

Sadeghi, H., see Wang, B.S. (92) 161

Sætersdal, T., see Larsen, T.H. (94) 173

Safayhi, H., Koopmann, I. and Ammon, H.P.T. Insulin secretion without the participation of arachidonic acid (91) 143

Safe, S., see Wang, X. (96) 159

Sairam, M.R., see Marcil, J. (92) 83

Sairam, M.R., see Yarney, T.A. (93) 219

Saito, T., see Yajima, Y. (92) 143

Sakal, E., Tchelet, A., Uchida, E., Shimokawa, S., Nishikawa, S., Hayakawa, T., Krivi, G.G. and Gertler, A. Site-directed mutagenesis of hGH at the 54-74 loop selectively modifies its lactogenic receptor-mediated biological activity (97) 129

Sakal, E., see Granot, I. (92) 241

Sakata, S., Tanaka, S.-I., Okuda, K., Miura, K., Manshouri, T. and Atassi, M.Z. Autoimmune T-cell recognition sites of human thyrotropin receptor in Graves' disease (92) 77

Saksela, E., see Ilvesmäki, V. (91) 59

Salbert, G., Atteke, C., Bonnec, G. and Jego, P. Differential regulation of the estrogen receptor mRNA by estradiol in the trout hypothalamus and pituitary (96) 177

Salverda, S., see Van der Burg, B. (91) 149

Sanchez-Pacheco, A., Perez, P., Villa, A., Pascual, A. and Aranda, A. Nicotinamide analogs and DNA-damaging agents deplete thyroid hormone receptor and c-erbA mRNA levels in pituitary GH1 cells (91) 127

Sarapura, V.D., Wood, W.M., Gordon, D.F. and Ridgway, E.C. Effect of thyroid hormone on T<sub>3</sub>-receptor mRNA levels and growth of thyrotropic tumors (91) 75

Sarapura, V.D., see Gordon, D.F. (96) 75

Sasano, H., see Suzuki, T. (97) 135

Saunders, P.T.K., see Brooks, J. (94) R23

Saunders, P.T.K., see Maguire, S.M. (94) 79

Schroeder, I.C., see Vuille, J.-C. (96) 91

Schultz, R., Isola, J., Parvinen, M., Honkanen, J., Wikström, A.-C., Gustafsson, J.-Å. and Pelto-Huikko, M. Localization of the glucocorticoid receptor in testis and accessory sexual organs of male rat (95) 115

Schumacher, H., Matsuda, Y. and Mukhopadhyay, A.K. HS-142-1 inhibits testosterone production and guanosine-3' : 5'-cyclic monophosphate accumulation stimulated by atrial natriuretic peptide in isolated mouse Leydig cells (94) 105

Schwartz, T.W., see Wulff, B.S. (91) 135

Scippo, M.L., Frankenne, F., Hooghe-Peters, E.L., Igout, A., Velkeniers, B. and Hennen, G. Syncytiotrophoblastic localization of the human growth hormone variant mRNA in the placenta (92) R7

Sealfon, S.C., see Chi, L. (91) R1

Seidah, N.G., see Yarney, T.A. (93) 219

Selbie, L., see Walker, P. (91) 107

Sells, B.H., see Glibetic, M. (94) 243

Seong, J.Y., see Kim, K. (97) 153

Seto, P., Nagayama, Y., Foti, D., McLachlan, S.M. and Rapoport, B. Autoantibodies in the sera of patients with autoimmune thyroid disease recognize a secreted form of human thyroid peroxi-

dase generated in a baculovirus system (94) R5

Shalgi, R., see Ben-Yosef, D. (96) 61

Shao, Z.-M., see Sheikh, M.S. (92) 153

Sharpe, R.M., see Maguire, S.M. (94) 79

Sheikh, M.S., Shao, Z.-M., Chen, J.-C. and Fontana, J.A.

Differential regulation of matrix Gla protein (MGP) gene expression by retinoic acid and estrogen in human breast carcinoma cells (92) 153

Sheppard, K.E., see Autelitano, D.J. (94) 111

Sherwood, J., see Olchovsky, D. (93) 193

Shimasaki, S., see Miyanaga, K. (92) 99

Shimokawa, S., see Sakal, E. (97) 129

Shine, J., see Walker, P. (91) 107

Shoshany, G., see Amit, T. (94) 149

Shukovski, L., Dyson, M. and Findlay, J.K.

The effects of follistatin, activin and inhibin on steroidogenesis by bovine thecal cells (97) 19

Shulkes, A., see Read, M. (93) 31

Shull, J.D., see Gilchrist, C.A. (92) 201

Shupnik, M.A., see Clarke, I.J. (91) 211

Silve, C., see El Hessni, A. (92) 183

Simmen, F.A., see Lee, C.Y. (93) 71

Simmen, R.C.M., Badinga, L. and Michel, F.J.

Chromosomal organization of the gene encoding porcine antileukoproteinase and functional analysis of the promoter region in endometrial and placental cells (97) 101

Simon, J., see Taouis, M. (96) 113

Simoni, M., see Gromoll, J. (91) 119

Simpson, E., see Jenkins, C. (97) R1

Simpson, E.R., see Lauber, M.E. (93) 227

Simpson, E.R., see Lauber, M.E. (94) 235

Slominski, A., Paus, R. and Wortsman, J.

On the potential role of proopiomelanocortin in skin physiology and pathology (93) C1

Smith, E., see Sugawa, H. (93) 207

Smith, R., see Mercer, W. (92) 247

Snyder, M.J. and Feyereisen, R.

A diazepam binding inhibitor (DBI) homolog from the tobacco hornworm, *Manduca sexta* (94) R1

Song, J., see Olchovsky, D. (93) 193

Sørnes, G., Haug, E. and Torjesen, P.A.

Calcitriol attenuates the thyrotropin-releasing hormone-stimulated inositol phosphate production in clonal rat pituitary (GH<sub>4</sub>C<sub>1</sub>) cells (93) 149

Spanjaard, R.A., see Yen, P.M. (97) 93

Spatola, E., see Olchovsky, D. (93) 193

Spaziani, E. and Wang, W.L.

Biosynthesis of ecdysteroid hormones by crustacean Y-organs: conversion of cholesterol to 7-dehydrocholesterol is suppressed by a steroid 5 $\alpha$ -reductase inhibitor (95) 111

Spindler, S.R., see Tillman, J.B. (95) 101

Sprengel, R., see Keren-Tal, I. (95) R1

Sprung, C.N., see Tillman, J.B. (95) 101

Staun, M., see Krisinger, J. (97) 61

Strong, J.A., see Chiang, M. (94) 27

Struthers, W.J., see Brooks, J. (94) R23

Sugawa, H., Smith, E., Imura, H. and Mori, T.

A thyroid cancer specific monoclonal antibody which recognizes cryptic epitope(s) of human thyroglobulin (93) 207

Sugawara, A., see Yen, P.M. (97) 93

Suh, Y.H., see Cho, B.N. (93) 47

Sullivan, P.M., see Reventos, J. (96) 69

Sutherland, R.L., see Ormandy, C.J. (91) C1

Suzuki, T., Sasano, H., Tamura, M., Aoki, H., Fukaya, T., Yajima, A., Nagura, H. and Mason, J.I.

Temporal and spatial localization of steroidogenic enzymes in premenopausal human ovaries: *in situ* hybridization and immunohistochemical study (97) 135

Swolin, D., see Ohlsson, C. (91) 167

Tamura, M., see Suzuki, T. (97) 135

Tanaka, S.-I., see Sakata, S. (92) 77

Taniya, T., see Noguchi, M. (92) 69

Taoka, T., Collins, E.D., Irino, S. and Norman, A.W.

1,25(OH)<sub>2</sub>-vitamin D<sub>3</sub> mediated changes in mRNA for c-myc and 1,25(OH)<sub>2</sub>D<sub>3</sub> receptor in HL-60 cells and related subclones (95) 51

Taouis, M., Derouet, M., Caffin, J.P., Chavanieu, A. and Simon, J.

Insulin receptor and insulin sensitivity in a chicken hepatoma cell line (96) 113

Taragnat, C. and Durand, P.

Functional heterogeneity of gonadotrophs in the ovine fetus: analysis by reverse hemolytic plaque assay (96) 7

Tata, J.R., see Rabelo, E.M. (96) 37

Taton, M., Lamy, F., Roger, P.P. and Dumont, J.E.

General inhibition by transforming growth factor  $\beta$ 1 of thyrotropin and cAMP responses in human thyroid cells in primary culture (95) 13

Taylor, P.L., see Brooks, J. (94) R23

Taylor, P.L., see Duthie, S.M. (95) R11

Tchelet, A., see Granot, I. (92) 241

Tchelet, A., see Sakal, E. (97) 129

Teitler, M., see Rydelek-Fitzgerald, L. (91) 67

Teitler, M., see Rydelek-Fitzgerald, L. (92) 253

Ten Dijke, P., see Jeng, M.-H. (97) 115

Terranova, P.F., see Zachow, R.J. (97) 37

Testar, X., see Gumà, A. (91) 29

Thomas, M., see Noguchi, M. (92) 69

Thomson, F.J. and Mitchell, R.

Differential involvement of phospholipase A<sub>2</sub> in phorbol ester-induced luteinizing hormone and growth hormone release from rat anterior pituitary tissue (95) 75

Thomson, F.J., Johnson, M.S., Mitchell, R., Wolbers, W.B., Ison, A.J. and MacEwan, D.J.

The differential effects of protein kinase C activators and inhibitors on rat anterior pituitary hormone release (94) 223

Thomson, F.J., see Johnson, M.S. (95) 31

Tillman, J.B., Crone, D.E., Kim, H.-S., Sprung, C.N. and Spindler, S.R.

Promoter independent down-regulation of the firefly luciferase gene by T<sub>3</sub> and T<sub>3</sub> receptor in CV1 cells (95) 101

Tora, L., see Klungland, H. (95) 147

Torjesen, P.A., see Sørnes, G. (93) 149

Törnquist, K.

ATP-induced entry of calcium in thyroid FRTL-5 cells. Studies with phorbol myristate acetate and thapsigargin (93) 17

Torrereras, R., Castaño, J.P., Almada, Y., Ruiz-Navarro, A. and Gracia-Navarro, F.

Hormonal storage patterns and morphological heterogeneity of porcine gonadotrope cells during postnatal development (97) 51

Tourmente, S., see Bruhat, A. (94) 61

Tramontano, D., see Villone, G. (95) 85

Trautman, M.S., see Mitchell, M.D. (93) C7

Tregear, G.W., see Roche, P.J. (91) 21

Tremblay, R.R., see Gauthier, E.R. (94) 155

Trivin, F., see Chantoux, F. (97) 145

Trudel, C., see Martel, C. (91) 43

Turner, J.D., see Romagnolo, D. (96) 147

Turney, M.K., see McCammon, D.K. (91) 177

Tuuri, T., see Erämaa, M. (92) R15

Uchida, E., see Sakal, E. (97) 129

Vacher, P., see Duffy-Barbe, L. (95) 67

Vamvakopoulos, N.C. and Chrousos, G.P.

Regulated activity of the distal promoter-like element of the human corticotropin-releasing hormone gene and secondary structural features of its corresponding transcripts (94) 73

Vandenbroucke, A.-T., see Houben, H. (97) 159

Van der Burg, B., Van der Leede, B.-j.M., Kwakkenbos-Isbrücker, L., Salverda, S., De Laat, S.W. and Van der Saag, P.T.

Retinoic acid resistance of estradiol-independent breast cancer cells coincides with diminished retinoic acid receptor function (91) 149

Van der Leede, B.-j.M., see Van der Burg, B. (91) 149

Van der Saag, P.T., see Van der Burg, B. (91) 149

Vaughan, M.K., see Rodriguez, C. (93) 167

Velkeniers, B., see Scippo, M.L. (92) R7

Veneziani, B.M., see Villone, G. (95) 85

Verbost, P.M., Butkus, A., Atsma, W., Willems, P., Flik, G. and Wendelaar Bonga, S.E.

Studies on stanniocalcin: characterization of bioactive and antigenic domains of the hormone (93) 11

Verheyden, A.-M., see Houben, H. (97) 159

Verhoeven, G., see Celis, L. (94) 164

Verstuyf, A., see Vuille, J.-C. (96) 91

Vigano, P., see Di Blasio, A.M. (96) R7

Villa, A., see Sanchez-Pacheco, A. (91) 127

Villone, G., Veneziani, B.M., Picone, R., De Amicis, F., Perrotti, N. and Tramontano, D.

In the thyroid cells proliferation, differentiated and metabolic functions are under

the control of different steps of the cyclic AMP cascade (95) 85

Vilàs, F., see Gumà, A. (91) 29

Vogel, T., see Granot, I. (92) 241

Voutilainen, R., see Ilvesmäki, V. (91) 59

Voutilainen, R., see Ilvesmäki, V. (97) 71

Vuille, J.-C., Cattini, P.A., Bock, M.E., Verstuyf, A., Schroeder, I.C., Duckworth, M.L. and Friesen, H.G.

Rat prolactin-like protein A partial gene and promoter structure: promoter activity in placental and pituitary cells (96) 91

Waeber, B., see Walker, P. (91) 107

Wagner, G.F., Fargher, R.C., Milliken, C., McKeown, B.A. and Copp, D.H.

The gill calcium transport cycle in rainbow trout is correlated with plasma levels of bioactive, not immunoreactive, stanniocalcin (93) 185

Walker, P., Munoz, M., Combe, M.-C., Groumann, E., Herzog, H., Selbie, L., Shine, J., Brunner, H.R., Waeber, B. and Wittek, R.

High level expression of human neuropeptide Y receptors in mammalian cells infected with a recombinant vaccinia virus (91) 107

Wallace, R.M., see Brown, P. (93) 157

Wang, B.S., Sadeghi, H., Fung, C., Korkidis, K. and Lumanglas, A.L.

Inhibitory effect of growth-enhancing antibody on the interaction between growth hormone and growth hormone binding protein (92) 161

Wang, D., see Lin, T. (95) 139

Wang, W.L., see Spaziani, E. (95) 111

Wang, X., Cioffi, J.A., Kelder, B., Harding, P.A., Chen, W.Y. and Kopchick, J.J.

Expression of a functional porcine growth hormone receptor cDNA in mouse L cells (94) 89

Wang, X., Porter, W., Krishnan, V., Narasimhan, T.R. and Safe, S.

Mechanism of 2,3,7,8-tetrachlorodibenz-p-dioxin (TCDD)-mediated decrease of the nuclear estrogen receptor in MCF-7 human breast cancer cells (96) 159

Washburn, A.L., see Murono, E.P. (92) 121

Washburn, A.L., see Murono, E.P. (97) 109

Waterman, M.R., see Fevold, H.R. (95) 95

Waterman, M.R., see Lauber, M.E. (93) 227

Waterman, M.R., see Lauber, M.E. (94) 235

Watson, C.J., see Watson, R.D. (92) 221

Watson, R.D., Yeh, W.E., Muehleisen, D.P., Watson, C.J. and Bollenbacher, W.E.

Stimulation of ecdysteroidogenesis by small prothoracotropic hormone: role of cyclic AMP (92) 221

Webley, G.E., see Abayasekara, D.R.E. (97) 81

Weinbauer, G.F., see Gromoll, J. (91) 119

Weiner, K.X.B. and Dias, J.A.

Regulation of ovarian ornithine decarboxylase activity and its mRNA by gonadotropins in the immature rat (92) 195

Weitsman, S.R., see Magoffin, D.A. (96) 45

Welshons, W.V., Grady, L.H., Judy, B.M., Jordan, V.C. and Preziosi, D.E.

Subcellular compartmentalization of MCF-7 estrogen receptor synthesis and degradation (94) 183

Wendelaar Bonga, S.E., see Verbost, P.M. (93) 11

Wheeler-Jones, C.P.D., see Jones, P.M. (94) 97

Widmaier, E.P., see Arai, M. (92) 91

Wikström, A.-C., see Schultz, R. (95) 115

Wilcox, B.D., see Rydelek-Fitzgerald, L. (91) 67

Wilcox, B.D., see Rydelek-Fitzgerald, L. (92) 253

Willems, P., see Verbost, P.M. (93) 11

Willbank, M.C., Belfiore, C.J. and Niswender, G.D.

Steroidogenic enzyme activity after acute activation of protein kinase (PK) A and PKC in ovine small and large luteal cells (97) 1

Wind, J.C., Born, W., Rijnsent, A., Boer, P. and Fischer, J.A.

Stimulation of calcitonin/CGRP-I and CGRP-II gene expression by dibutyryl cAMP in a human medullary thyroid carcinoma (TT) cell line (92) 25

Wintour, E.M., see Fu, P. (93) 107

Witte, R., see Walker, P. (91) 107

Wolbers, W.B., see Thomson, F.J. (94) 223

Wolf, B.A., see Konrad, R.J. (92) 135

Wong, E.A., see Romagnolo, D. (96) 147

Wood, D.F., see Johnston, J.M. (92) 63

Wood, W.M., see Gordon, D.F. (96) 75

Wood, W.M., see Sarapura, V.D. (91) 75

Wortsman, J., see Slominski, A. (93) C1

Wu, N., see Murono, E.P. (92) 121

Wu, N., see Murono, E.P. (97) 109

Wu, W.-X., see Zabavnik, J. (95) 121

Wulff, B.S., Catipovic, B., Okamoto, H., Gether, U., Schwartz, T.W. and Johansen, T.E.

Efficient amidation of C-peptide deleted NPY precursors by non-endocrine cells is affected by the presence of Lys-Arg at the C-terminus (91) 135

Wuttke, W., see Kim, K. (97) 153

Wyllie, F.S., see Bond, J.A. (93) 175

Wynford-Thomas, D., see Bond, J.A. (93) 175

Xia, H., Fernandez, L.M. and Puett, D.

Replacement of the invariant tyrosine in the CAGY region of the human chorionic gonadotropin  $\beta$  subunit (92) R1

Yaffe, B.M., see Jones, K.E. (91) 113

Yajima, A., see Suzuki, T. (97) 135

Yajima, Y., Akita, Y., Katada, T. and Saito, T.

Somatostatin induces release of the  $\alpha$  subunits of pertussis toxin-sensitive G proteins in native membranes and in intact GH<sub>4</sub>C<sub>1</sub> rat pituitary cells (92) 143

Yamamoto, S.Y., see Bryant-Greenwood, G.D. (95) 23

Yamazaki, T., McNamara, B.C. and Jefcoate, C.R.

Competition for electron transfer between cytochromes P450<sub>ccc</sub> and P450<sub>11B</sub> in rat adrenal mitochondria (95) 1

Yarney, T.A., Sairam, M.R., Khan, H., Ravindranath, N., Payne, S. and Seidah, N.G.

Molecular cloning and expression of the ovine testicular follicle stimulating hormone receptor (93) 219

Yeh, W.E., see Watson, R.D. (92) 221

Yen, P.M., Sugawara, A., Forgiore, M., Spanjaard, R.A., Macchia, E., Cheng, S.-Y. and Chin, W.W.

Region-specific anti-thyroid hormone receptor (TR) antibodies detect changes in TR structure due to ligand-binding and dimerization (97) 93

Yoon, Y.D., see Cho, B.N. (93) 47

Yousdim, M.B.H., see Amit, T. (94) 149

Yu, X.-P., see Zerwekh, J.E. (96) 1

Zabavnik, J., Wu, W.-X., Eidne, K.A. and McNeilly, A.S.

Dopamine D<sub>2</sub> receptor mRNA in the pituitary during the oestrous cycle, pregnancy and lactation in the rat (95) 121

Zachary, J.-L. and Plas, C.

Insulin receptor  $\beta$ -subunit serine phosphorylation in permeabilized cultured fetal rat hepatocytes (92) 15

Zachow, R.J. and Terranova, P.F.

Involvement of protein kinase C and protein tyrosine kinase pathways in tumor necrosis factor- $\alpha$ -induced clustering of ovarian theca-interstitial cells (97) 37

Zajac, J.D., see Chilco, P.J. (94) 1

Zanger, U.M., see Fevold, H.R. (95) 95

Zerwekh, J.E., Yu, X.-P., Breslau, N.A., Manolagas, S. and Pak, C.Y.C.

Vitamin D receptor quantitation in human blood mononuclear cells in health and disease (96) 1

Zhang, F., see Markkula, M.A. (96) 25

Zhou, P., see McCammon, D.K. (91) 177

Zhou, W., see Chi, L. (91) R1

Zick, Y., see Hadari, Y.R. (97) 9

Zikherman, J., see Petanceska, S. (94) 37

Zlock, D.W., see Dorin, R.I. (96) 99

Zollinger, M., see Chevrier, D. (94) 213

Zorzano, A., see Gumà, A. (91) 29